

	BEAD 4 <i>Kayak</i>
	BEAD 3 <i>Wilkes • Gibraltar</i>
	BEAD 2 <i>E. Williams • Trojan</i>
	BEAD 1 <i>Standard</i>

R E F E R E N C E B O O K

This Booklet Contains:

- *Frequently Ordered Liner & Stair Dimensions*
- *Dive Type Classifications*
- *Bead Styles & Information*
- *Common Radii & Diagonal Measurements*



TABLE OF CONTENTS

Using This Booklet	2
What You'll Find	2
Pool Templates	3 - 15
Stair Templates	16 - 18
Common Diagonals	19
Common Radii	19
Bead Types & Information	20

Using This Booklet

The purpose of this booklet is to provide you, the dealer, with a quick guide for ordering & confirming brand name liner dimensions. This booklet is to be used as a guide only; always measure the actual pool before placing a liner order!

What You'll Find

Inside this booklet you will find interior & exterior dimensions for commonly ordered, brand name vinyl liners & stairs.

You will also find the convenient reference number by which you can order any of the liners or stairs listed in this booklet, providing you a fast & efficient method of relaying all dimensional information.

Also included are the ANSI/NSPI-5 2003 classifications for each liner listed.

COMMON DIAGONALS


1' 5" (Pal)	2' 1.25" (Foxxx)	4' 3" (E.Williams)	6'
7' (Cardinal)	8'	8' 1.5" (Imperial)	9'

COMMON RADII

1'	1' 6"	2'	2' 6"
3'	3' 6"	4'	4' 6"


A B C D E F G H I J K L M N P R S T

IMPERIAL PACIFIC



LOCATION: REFERENCE #:
 A 7916
 F 46977
 G 46978


Also Available In A 3' 10" Wide Version




LOCATION: REFERENCE #:
 A 6456
 F 46979
 G 46980

This Style May Slope From 36" At The Shallow End Wall, To 42" At The Break. Notify Us If It Does This!!!

PAL SPARTAN / MAJOR




LOCATION: REFERENCE #:
 A 4615
 F 46981
 G 46982




LOCATION: REFERENCE #:
 A 28752
 F 46983
 G 46984

TROJAN WEATHERKING




LOCATION: REFERENCE #:
 A 4462
 F 5708
 G 8092

Check Bead Size, It Could Be Bead #2



LOCATION: REFERENCE #:
 A 3144
 F 46985
 G 46986

This Style May Slope From 38" At The End Wall, To 40" In Front Of The Stair. Double Check To Make Sure.



CARDINAL

RECTANGLE CORNER: 6" Radius

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	II	3145
18'	36'	40"	8'	4'	6'	14'	12'	4'	10'	4'	II	109933
20'	40'	40"	8'	4'	8'	14'	14'	4'	12'	4'	II	109934

CHAMPION

RECTANGLE CORNER: 6" Radius

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	II	3145
18'	36'	40"	8'	4'	6'	14'	12'	5'	8'	5'	II	3216
20'	40'	40"	8'	4'	8'	16'	12'	6'	8'	6'	II	3218

CORINTHIAN

RECTANGLE CORNER: 3" Radius


B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	II	3545
18'	36'	40"	8'	4'	6'	14'	12'	5'	8'	5'	II	3135
20'	40'	40"	8'	4'	8'	16'	12'	6'	8'	6'	II	3132

ESTHER WILLIAMS

GRECIAN (4-Sided Pad) CORNER: 4' 3" Diagonal **Emerald: Old Style**

B	A	C	K	G	F	E	D	J	H	J	W	V	R	DIVE TYPE	REF #
12'	20'	40"	6'2"	3'	4'	3'	10'	3'	6'	3'	14'	6'	4'3"	0	42606
14'	28'	40"	6'2"	3'	3'	10'	12'	3'	8'	3'	22'	8'	4'3"	0	42605
16'	32'	40"	8'8"	5'	5'	13'6"	8'6"	5'	6'	5'	26'	10'	4'3"	0	6221
18'	36'	40"	8'8"	5'	6'	13'6"	11'6"	5'	8'	5'	30'	12'	4'3"	0	3246
20'	40'	40"	8'8"	5'	7'	13'6"	14'6"	5'	10'	5'	34'	14'	4'3"	0	6219

#2 BEAD NOTE: Esther Williams Pools Typically Use Bead #2



ESTHER WILLIAMS

GRECIAN (4-Sided Pad)

CORNER: 4' 3" Diagonal

Emerald: New Style

B	A	C	K	G	F	E	D	J	H	J	W	V	R1	DIVE TYPE	REF #	
16'	32'	40"	8'8"	4'2"	4'10"	16'	7'	5'	6'	5'		26'	10'	4'3"	II	3249
16'	36'	40"	8'8"	4'2"	4'10"	16'	11'	5'	6'	5'		30'	10'	4'3"	II	6112
18'	36'	40"	8'8"	4'2"	6'10"	16'	9'	5'	8'	5'		30'	12'	4'3"	II	6111
20'	40'	40"	8'8"	4'2"	7'10"	16'	12'	5'	10'	5'		34'	14'	4'3"	II	6115

#2 BEAD NOTE: Esther Williams Pools Typically Use Bead #2

FORT WAYNE

PATRICIAN

CORNER: 6" Radius

Sterling

B	A	C	K	G	F	E	D	J	H	J	T	M	O	N	L	DIVE TYPE	REF #
16'	33'11"	40"	8'	4'6"	6'	14'	9'5"	4'6"	7'	4'6"	1'1"	13'10"	2'6"	3'6"	8'	II	8146
18'	38'4"	40"	8'6"	5'	6'6"	15'6"	11'4"	5'	8'	5'	1'2.5"	15'7"	2'6"	4'	9'	III	4585
20'	40'10"	40"	8'6"	5'	6'6"	15'6"	13'10"	5'	10'	5'	1'4"	17'4"	1'6"	5'	10'	III	14631

Ledges Fill Deep End Corners On Fort Wayne Patricians

FORT WAYNE

RECTANGLE

CORNER: 6" Radius

Pre 1989

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'6"	5'6"	13'6"	8'6"	4'6"	7'	4'6"	0	3143
18'	36'	40"	8'	4'6"	5'6"	13'6"	12'6"	4'6"	9'	4'6"	0	6277
20'	40'	40"	8'6"	4'	7'	15'	14'	6'	8'	6'	0	6278

FORT WAYNE

RECTANGLE

CORNER: 6" Radius


1989 To Present

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'6"	5'6"	14'	8'	4'6"	7'	4'6"	II	3229
18'	36'	40"	8'	4'6"	5'6"	14'	12'	4'6"	9'	4'6"	II	3231
20'	40'	40"	8'6"	4'	7'	15'6"	13'6"	6'	8'	6'	III	3232




CORINTHIAN (3 TREAD)

CORINTHIAN (4 TREAD)



LOCATION:	REFERENCE #:
A	7430
B	47069
C	47070
F	46919
G	46927

Also Available In A 4' Wide Version. Typically Uses 1/2" OD Rod Size.




LOCATION:	REFERENCE #:
A	3137
B	4630
C	3147
F	6253
G	46917


8" Offset "B" & "C" Locations Are Common. Typically Uses 1/2" OD Rod Size.

HELDOR

HELDOR (GRECIAN)




LOCATION:	REFERENCE #:
A	3196
F	3298
G	3608



LOCATION:	REFERENCE #:
A	8943
F	46934
G	46933


HELDOR (OLD STYLE)

HERITAGE (CAPE COD)



LOCATION:	REFERENCE #:
A	28757
F	46935
G	46936

More Than One "OLD STYLE" Heldor Stair Exists, Measure To Be Sure.







LOCATION:	REFERENCE #:
A	28755
F	46975
G	46976

Also Available In A 10' 6" Wide Version.

A B C D E F G H I J K L M N P R S T

CARDINAL (7' CORNER) CARDINAL (9' CORNER)







LOCATION: REFERENCE #:
 J - 90° 108585
 J - 6" Radius 108590
 J - 4.75" Diagonal 108592
 K - 90° 108588
 K - 6" Radius 108591
 K - 4.75" Diagonal 108593

* Top & Bottom Riser Height Can Vary Depending On How Deep Stair Is Set Into Floor. Notify Us If They Differ From Above !!!

LOCATION: REFERENCE #:
 J - 90° 108594
 J - 6" Radius 108597
 J - 4.75" Diagonal 108600
 K - 90° 108595
 K - 6" Radius 108598
 K - 4.75" Diagonal 108601

* Top & Bottom Riser Height Can Vary Depending On How Deep Stair Is Set Into Floor. Notify Us If They Differ From Above !!!

CARDINAL (2000 STYLE) CARDINAL (OLD STYLE)




LOCATION: REFERENCE #:
 A 59499
 A (Grecian) 59502
 F 59500
 G 59501
 P 59504
 R 59505

* NOTE: Stair Is Similar To "OLD STYLE", Check Your Riser Heights To Be Sure !!!

LOCATION: REFERENCE #:
 A 9941
 A (Grecian) 54704
 F 18633
 G 36476
 P 54700
 R 54701

* NOTE: Stair Is Similar To "2000 STYLE", Check Your Riser Heights To Be Sure !!!



FORT WAYNE

GRECIAN (4-Sided Pad) CORNER: 6" Diagonal

													All Years			DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	W	V	R1				
16'6	32'6	40"	8'	4'3	5'9	14'	8'6	4'3	8'	4'3		24"	8'	6'		II	3233
18'6	36'6	40"	8'	4'3	5'9	14'	12'6	4'3	10'	4'3		28"	10'	6'		II	3234

FORT WAYNE

LAZY-L CORNER: 6" Radius

													Point To Point Break				DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4			
16'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	7'	4'6		16'	23'6	9'6	13'6	28'6	II Right 108530	
16'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	7'	4'6		16'	23'6	9'6	13'6	28'6	II Left 108531	
18'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	9'	4'6		18'	23'6	8'6	13'6	28'6	II Right 108532	
18'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	9'	4'6		18'	23'6	8'6	13'6	28'6	II Left 108533	
20'	47"	40"	8'	4'6	5'6	16'	Varies	4'6	11'	4'6		20'	23'6	11'6	17'6	28'6	II Right 108534	
20'	47"	40"	8'	4'6	5'6	16'	Varies	4'6	11'	4'6		20'	23'6	11'6	17'6	28'6	II Left 108535	


Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End

FORT WAYNE

LAZY-L CORNER: 2" Radius

													Point To Point Break				DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4			
16'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	7'	4'6		16'	23'6	9'6	13'6	28'6	II Right 108536	
16'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	7'	4'6		16'	23'6	9'6	13'6	28'6	II Left 108537	
18'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	9'	4'6		18'	23'6	8'6	13'6	28'6	II Right 108538	
18'	42"	40"	8'	4'6	5'6	16'	Varies	4'6	9'	4'6		18'	23'6	8'6	13'6	28'6	II Left 108539	
20'	47"	40"	8'	4'6	5'6	16'	Varies	4'6	11'	4'6		20'	23'6	13'6	18'6	28'6	II Right 108540	
20'	47"	40"	8'	4'6	5'6	16'	Varies	4'6	11'	4'6		20'	23'6	13'6	18'6	28'6	II Left 108541	

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End



FORT WAYNE

LAZY-L											CORNER: 4' Radius					Point To Point Break					DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4	DIVE TYPE	REF #					
16'	42'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	7'	4'6"	16'	23'6"	9'6"	13'6"	28'6"	II	Right	108543				
16'	42'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	7'	4'6"	16'	23'6"	9'6"	13'6"	28'6"	II	Left	108544				
18'	42'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	9'	4'6"	18'	23'6"	8'6"	13'6"	28'6"	II	Right	8754				
18'	42'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	9'	4'6"	18'	23'6"	8'6"	13'6"	28'6"	II	Left	8755				
20'	47'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	11'	4'6"	20'	23'6"	13'6"	18'6"	28'6"	II	Right	108545				
20'	47'	40"	8'	4'6"	5'6"	16'	Varies	4'6"	11'	4'6"	20'	23'6"	13'6"	18'6"	28'6"	II	Left	108546				

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End

FORT WAYNE


TRUE-L											CORNER: 6" Radius				8.5" Diag. Inturn				DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	B1	B2	A1	A2	DIVE TYPE	REF #				
16'	41'	40"	8'	4'6"	5'6"	14'	17'	4'6"	7'	4'6"	24'	8'	16'	25'	II	Right	108564			
16'	41'	40"	8'	4'6"	5'6"	14'	17'	4'6"	7'	4'6"	24'	8'	16'	25'	II	Left	108565			
18'	43'	40"	8'	4'6"	5'6"	14'	19'	4'6"	9'	4'6"	28'	10'	18'	25'	II	Right	108566			
18'	43'	40"	8'	4'6"	5'6"	14'	19'	4'6"	9'	4'6"	28'	10'	18'	25'	II	Left	108567			
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II	Right	108568			
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II	Left	108569			

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End

FORT WAYNE

TRUE-L											CORNER: 2' Radius				8.5" Diag. Inturn				DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	B1	B2	A1	A2	DIVE TYPE	REF #				
16'	41'	40"	8'	4'6"	5'6"	14'	17'	4'6"	7'	4'6"	24'	8'	16'	25'	II	Right	108570			
16'	41'	40"	8'	4'6"	5'6"	14'	17'	4'6"	7'	4'6"	24'	8'	16'	25'	II	Left	108571			
18'	43'	40"	8'	4'6"	5'6"	14'	19'	4'6"	9'	4'6"	28'	10'	18'	25'	II	Right	108572			
18'	43'	40"	8'	4'6"	5'6"	14'	19'	4'6"	9'	4'6"	28'	10'	18'	25'	II	Left	108573			
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II	Right	108574			
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II	Left	108575			

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End



TROJAN

RECTANGLE											CORNER: 90°					New Style					DIVE TYPE	REF #	
B	A	C	K	G	F	E	D	J	H	J	B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'	6'	13'6"	8'6"	4'	8'	4'	16'	32'	40"	8'	4'	6'	13'6"	8'6"	4'	8'	4'	0*	3142
18'	36'	40"	8'	4'	6'	13'6"	12'6"	4'	10'	4'	18'	36'	40"	8'	4'	6'	13'6"	12'6"	4'	10'	4'	0*	3136
20'	40'	40"	8'6"	4'	7'	15'	14'	4'	12'	4'	20'	40'	40"	8'6"	4'	7'	15'	14'	4'	12'	4'	0*	4304

**This Pool Is Now TYPE 0 Based On Current Standards.*

***2 BEAD** NOTE: Trojan Pools Typically Use Bead #2


WEATHERKING

RECTANGLE											CORNER: 6" Radius					VERSION					DIVE TYPE	REF #		
B	A	C	K	G	F	E	D	J	H	J	B	A	C	K	G	F	E	D	J	H	J	VERSION	DIVE TYPE	REF #
12'	24'	40"	6'	4'	4'	8'	8'	4'	4'	4'	12'	24'	40"	6'	4'	4'	8'	8'	4'	4'	4'	All Years	0	6136
14'	28'	40"	6'	4'	4'	8'	12'	5'	4'	5'	14'	28'	40"	6'	4'	4'	8'	12'	5'	4'	5'	All Years	0	6137
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	All Years	II	3145
18'	36'	40"	8'	4'	6'	14'	12'	5'	8'	5'	18'	36'	40"	8'	4'	6'	14'	12'	5'	8'	5'	All Years	II	3216
20'	40'	40"	8'	4'	8'	16'	12'	6'	8'	6'	20'	40'	40"	8'	4'	8'	16'	12'	6'	8'	6'	Before '87	II	3218
20'	40'	40"	8'	4'	8'	16'	12'	5'	10'	5'	20'	40'	40"	8'	4'	8'	16'	12'	5'	10'	5'	'87 & After	II	3217

WEATHERKING

GRECIAN (4 Sided Pad)											CORNER: 6' Diagonal										DIVE TYPE	REF #				
B	A	C	K	G	F	E	D	J	H	J	B	A	C	K	G	F	E	D	J	H	J	W	V	R1	DIVE TYPE	REF #
16'6"	32'6"	40"	8'	4'3"	6'	14'3"	8'	4'3"	8'	4'3"	16'6"	32'6"	40"	8'	4'3"	6'	14'3"	8'	4'3"	8'	4'3"	24'	8'	6'	II	3221
16'6"	35'6"	40"	8'	4'3"	6'	14'3"	11'	4'3"	8'	4'3"	16'6"	35'6"	40"	8'	4'3"	6'	14'3"	11'	4'3"	8'	4'3"	27'	8'	6'	II	3222





SPARTAN / MAJOR

RECTANGLE CORNER: 6" Radius **Extended Hopper**

B	A	C	K	G	F	E	D	J	H	J	LEDGE	DIVE TYPE	REF #
16'	32'	40"	7'3	6'	4'	12'	10'	6'	4'	6'	8"	0	4180
18'	36'	40"	7'6	7'	4'	14'	11'	7'	4'	7'	8"	0	4221
20'	40'	40"	8'	8'	4'	16'	12'	8'	4'	8'	8"	0	3970

SPARTAN / MAJOR

RECTANGLE CORNER: 6" Radius **Old Style**

B	A	C	K	G	F	E	D	J	H	J	LEDGE	DIVE TYPE	REF #
16'	32'	40"	7'3	6'	4'	6'	16'	6'	4'	6'	8"	0	6442
18'	36'	40"	7'6	7'	4'	7'	18'	7'	4'	7'	8"	0	6443
20'	40'	40"	8'	8'	4'	8'	20'	8'	4'	8'	8"	0	6444

SPARTAN / MAJOR


RECTANGLE CORNER: 6" Radius **New Style**

B	A	C	K	G	F	E	D	J	H	J	LEDGE	DIVE TYPE	REF #
16'	32'	40"	8'	4'6	6'	14'	7'6	4'6	7'	4'6	4"	II	6445
18'	36'	40"	8'	4'6	6'	14'	11'6	4'6	9'	4'6	4"	II	6446
20'	40'	40"	8'6	5'	6'6	15'6	13"	5'	10'	5'	4"	III	6447

TROJAN

RECTANGLE CORNER: 90" **Old Style**

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	6'	6'	8'	12'	5'	6'	5'	0	3141
18'	36'	40"	8'	7'	8'	9'	12'	5'	8'	5'	0	6452
20'	40'	40"	8'6	8'	8'	10'	14'	6'	8'	6'	0	6454



FORT WAYNE

TRUE-L CORNER: 4" Radius **8.5" Diag. Inturn**

B	A	C	K	G	F	E	D	J	H	J	B1	B2	A1	A2	DIVE TYPE	REF #
16'	41'	40"	8'	4'6	5'6	14'	17'	4'6	7'	4'6	24'	8'	16'	25'	II Right	108576
16'	41'	40"	8'	4'6	5'6	14'	17'	4'6	7'	4'6	24'	8'	16'	25'	II Left	108577
18'	43'	40"	8'	4'6	5'6	14'	19'	4'6	9'	4'6	28'	10'	18'	25'	II Right	108578
18'	43'	40"	8'	4'6	5'6	14'	19'	4'6	9'	4'6	28'	10'	18'	25'	II Left	108579
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II Right	108580
20'	46'	40"	8'	4'	7'	16'	19'	6'	8'	6'	30'	10'	18'	28'	II Left	108581

**Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End*

FOXXX

RECTANGLE CORNER: 90" **Confirm Depths**

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	----	----	3'8	5'10	13'6	9'	4'6	7'	4'6	0*	108501
16'	36'	----	----	3'8	5'10	13'6	13'	4'6	7'	4'6	0*	108502
18'	36'	----	----	4'6	6'6	15'	10'	5'6	7'	5'6	0*	108503
20'	40'	----	----	4'8	7'4	16'6	11'6	5'	10'	5'	0*	108504

*FOXXX Pools Can Vary, Double Check Finish & Depth Before Ordering Liner !!
APSP Classification To Be Determined Based On Finish & Depth Provided.


FOXXX

GRECIAN (4-Sided Pad) CORNER: 2' 1.33" Diagonal **Confirm Depths**

B	A	C	K	G	F	E	D	J	H	J	W	V	R1	DIVE TYPE	REF #
16'	32'	----	----	4'4	5'4	13'9	8'7	4'6	7'	4'6	29'	13'	2'1.33	0*	9781
16'	36'	----	----	4'4	5'4	13'9	12'7	4'6	7'	4'6	33'	13'	2'1.33	0*	108499
18'	36'	----	----	4'4	5'4	13'9	12'7	5'	8'	5'	33'	15'	2'1.33	0*	30153
20'	40'	----	----	4'8	7'4	16'	12'	5'	10'	5'	37'	17'	2'1.33	0*	108500

*FOXXX Pools Can Vary, Double Check Finish & Depth Before Ordering Liner !!
APSP Classification To Be Determined Based On Finish & Depth Provided.

#2 BEAD NOTE: Trojan Pools Typically Use Bead #2



HELDOR

RECTANGLE CORNER: 6" Radius

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'3	32'3	40"	8'	4'	6'3	13'6	8'6	4'	8'3	4'	0*	3129
18'3	36'3	40"	8'	4'	8'3	13'6	10'6	4'	10'3	4'	0*	3351
20'3	40'3	40"	8'	4'	10'3	13'6	12'6	4'	12'3	4'	0*	3131

* This Pool Is Now Type 0 Based On Current Standards

HELDOR

OVAL **Space Saver**

B	A	C	K	G	F	E	D	J	H	J	W	O	M	L	DIVE TYPE	REF #
14'4	30'4	40"	6'	4'	4'10	13'6	8'	4'	6'4	4'	16'	1'8	3'2	7'2	0	6124
16'	32'	40"	8'	4'	6'	13'6	8'6	4'	8'	4'	16'	2'	4'	8'	0*	6125
16'	34'	40"	8'	4'	6'	13'6	10'6	4'	8'	4'	18'	2'	4'	8'	0*	6126

* This Pool Is Now Type 0 Based On Current Standards

HELDOR

GRECIAN (6 Sided Pad) CORNER: Large Diagonal

B	A	C	K	G	F	E	D	J	H	J	W	V	R	L	M	N	DIVE TYPE	REF #
16'6	32'6	40"	8'	4'	6'3	13'6	8'9	4'	8'6	4'	24'	8'	6'	4'4	2'8+	4'8+	0*	3578
16'6	35'6	40"	8'	4'	6'3	13'6	11'9	4'	8'6	4'	27'	8'	6'	4'4	2'8+	4'8+	0*	3546
17'10+	36'10+	40"	8'	4'	6'3	13'6	13'1+	4'	9'10+	4'	27'	8'	7'	3'7+	3'8+	4'8+	0*	3720
20'8+	39'8+	40"	8'	4'	10'3	13'6	11'11+	4'	12'8+	4'	27'	8'	9'	6'2+	5'8+	4'8+	0*	5396

* This Pool Is Now Type 0 Based On Current Standards


HELDOR

LAZY-L CORNER: 6" Radius

B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4	DIVE TYPE	REF #	
16'3	40'3	40"	8'	4'	6'3	13'6	Varies	4'	8'3	4'	16'3	24'1+	8'1+	12'1+	28'1+	0*	Right	108285
16'3	40'3	40"	8'	4'	6'3	13'6	Varies	4'	8'3	4'	16'3	24'1+	8'1+	12'1+	28'1+	0*	Left	3194
18'3	43'3	40"	8'	4'	7'3	13'6	Varies	4'	10'3	4'	18'3	25'1+	9'1+	13'7+	29'7+	0*	Right	108289
18'3	43'3	40"	8'	4'	7'3	13'6	Varies	4'	10'3	4'	18'3	25'1+	9'1+	13'7+	29'7+	0*	Left	108290
20'3	46'3	40"	8'	4'	10'3	13'6	Varies	4'	12'3	4'	20'3	28'1+	8'1+	13'1+	33'1+	0*	Right	8023
20'3	46'3	40"	8'	4'	10'3	13'6	Varies	4'	12'3	4'	20'3	28'1+	8'1+	13'1+	33'1+	0*	Left	108288

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End.

* This Pool Is Now Type 0 Based On Current Standards



POOL DEPOT

TRUE-L CORNER: 2' Radius **2' Radius Inturn**

B	A	C	K	G	F	E	D	J	H	J	B1	B2	A1	A2	DIVE TYPE	REF #
16'	38'	40"	8'	4'	6'	14'	14'	4'	8'	4'	26'	10'	12'	26'	II Right	59326
16'	38'	40"	8'	4'	6'	14'	14'	4'	8'	4'	26'	10'	12'	26'	II Left	59327
18'	40'	40"	8'	4'	8'	14'	14'	4'	10'	4'	30'	12'	12'	28'	II Right	59329
18'	40'	40"	8'	4'	8'	14'	14'	4'	10'	4'	30'	12'	12'	28'	II Left	59332

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End.

POOL DEPOT

LAZY-L CORNER: 6" Radius

B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4	DIVE TYPE	REF #
16'	41'6	40"	8'	4'	6'	14'	Varies	4'	8'	4'	16'	24'	8'6	13'	28'6	II Right	21154
16'	41'6	40"	8'	4'	6'	14'	Varies	4'	8'	4'	16'	24'	8'6	13'	28'6	II Left	21161
18'	46'	40"	8'	4'	6'	14'	Varies	4'	10'	4'	18'	24'	12'	17'	29'	II Right	21155
18'	46'	40"	8'	4'	6'	14'	Varies	4'	10'	4'	18'	24'	12'	17'	29'	II Left	21162
20'	46'6	40"	8'	4'	6'	14'	Varies	4'	12'	4'	20'	24'	12'	17'	29'6	II Right	21156
20'	46'6	40"	8'	4'	6'	14'	Varies	4'	12'	4'	20'	24'	12'	17'	29'6	II Left	21163


Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End.

POOL DEPOT

LAZY-L CORNER: 2' Radius

B	A	C	K	G	F	E	D	J	H	J	B1	A1	A2	A3	A4	DIVE TYPE	REF #
16'	41'6	40"	8'	4'	6'	14'	Varies	4'	8'	4'	16'	24'	8'6	13'	28'6	II Right	21157
16'	41'6	40"	8'	4'	6'	14'	Varies	4'	8'	4'	16'	24'	8'6	13'	28'6	II Left	28857
18'	46'	40"	8'	4'	6'	14'	Varies	4'	10'	4'	18'	24'	12'	17'	29'	II Right	21158
18'	46'	40"	8'	4'	6'	14'	Varies	4'	10'	4'	18'	24'	12'	17'	29'	II Left	28858
20'	46'6	40"	8'	4'	6'	14'	Varies	4'	12'	4'	20'	24'	12'	17'	29'6	II Right	21159
20'	46'6	40"	8'	4'	6'	14'	Varies	4'	12'	4'	20'	24'	12'	17'	29'6	II Left	21019

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End.



POOL DEPOT

RECTANGLE CORNER: 2' Radius

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
12'	24'	40"	6'	4'	4'	8'	8'	4'	4'	4'	0	21096
14'	28'	40"	6'	4'	4'	8'	12'	4'	6'	4'	0	192592
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	II	21099
16'	36'	40"	8'	4'	6'	14'	12'	4'	8'	4'	II	24018
18'	36'	40"	8'	4'	6'	14'	12'	4'	10'	4'	II	21100
18'	40'	40"	8'	4'	6'	14'	16'	4'	10'	4'	II	59319
20'	40'	40"	8'	4'	8'	14'	14'	4'	12'	4'	II	21101
20'	44'	40"	8'	4'	8'	14'	18'	4'	12'	4'	II	59306

POOL DEPOT

RECTANGLE CORNER: 4' Radius


B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
12'	24'	40"	6'	4'	4'	8'	8'	4'	4'	4'	0	21102
14'	28'	40"	6'	4'	4'	8'	12'	4'	6'	4'	0	21104
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'	II	21105
16'	36'	40"	8'	4'	6'	14'	12'	4'	8'	4'	II	59305
18'	36'	40"	8'	4'	6'	14'	12'	4'	10'	4'	II	21106
18'	40'	40"	8'	4'	6'	14'	16'	4'	10'	4'	II	59321
20'	40'	40"	8'	4'	8'	14'	14'	4'	12'	4'	II	21107
20'	44'	40"	8'	4'	8'	14'	18'	4'	12'	4'	II	59324

POOL DEPOT

TRUE-L CORNER: 6'' Radius 8.5'' Diag. Inturn

B	A	C	K	G	F	E	D	J	H	J	B1	B2	A1	A2	DIVE TYPE	REF #
16'	38'	40"	8'	4'	7'	14'	13'	4'	8'	4'	26'	10'	12'	26'	II Right	21192
16'	38'	40"	8'	4'	7'	14'	13'	4'	8'	4'	26'	10'	12'	26'	II Left	21194
18'	40'	40"	8'	4'	9'	14'	13'	4'	10'	4'	30'	12'	12'	28'	II Right	21193
18'	40'	40"	8'	4'	9'	14'	13'	4'	10'	4'	30'	12'	12'	28'	II Left	21195

Turns RIGHT Or LEFT Determined By Looking From The Shallow End Toward The Deep End.



HERITAGE (Bicknell)

RECTANGLE CORNER: 6'' Radius Registry

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	7'10	4'	6'	13'6	8'6	4'6	7'	4'6	0	6333
16'	32'	40"	8'	4'	6'	14'	8'	4'6	7'	4'6	II	3139
18'	36'	40"	8'6	4'6	6'6	15'6	9'6	5'6	7'	5'6	III	4217
20'	40'	40"	8'6	4'6	8'	15'6	12'	6'6	7'	6'6	III	4007

HERITAGE (Bicknell)

RECTANGLE CORNER: 6'' Radius Non Registry

B	A	C	K	G	F	E	D	J	H	J	LEDGE	DIVE TYPE	REF #
16'	32'	40"	7'6	6'	8'	10'	8'	6'	4'	6'	8"	0	3310
18'	36'	40"	8'	7'	8'	11'	10'	7'	4'	7'	8"	0	6429
20'	40'	40"	8'6	8'	8'	12'	12'	8'	4'	8'	8"	0	6430

IDEAL


RECTANGLE CORNER: 6'' Radius

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'	32'	40"	8'	4'6	6'	14'	7'6	4'6	7'	4'6	II	6432
18'	36'	40"	8'	4'6	6'	14'	11'6	4'6	9'	4'6	II	6433
20'	40'	40"	8'6	5'	6'6	15'6	13'	5'	10'	5'	III	6434

IMPERIAL

RECTANGLE CORNER: 2.25'' Diagonal 800 Series

B	A	C	K	G	F	E	D	J	H	J	DIVE TYPE	REF #
16'1+	32'	40"	7'10	4'	6'	13'6	8'6	4'	8'1+	4'	II	4816
18'1+	35'10+	40"	7'10	4'	6'	13'6	12'4+	4'	10'1+	4'	II	5105
19'11+	39'11+	40"	7'10	4'	10'	13'6	12'5+	4'	11'11	4'	II	4821



PACIFIC

RECTANGLE											CORNER: 6" Radius				New Style		DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J								
16'	32'	40"	8'	4'6"	5'6"	13'6"	8'6"	4'6"	7'	4'6"					0*			3548
18'	36'	40"	8'	4'6"	5'6"	13'6"	12'6"	4'6"	9'	4'6"					0*			4409
20'	40'	40"	8'6"	4'	7'	15'	14'	6'	8'	6'					0*			4001

*This Pool Is Now TYPE 0 Based On Current Standards.

PACIFIC

RECTANGLE											CORNER: 2' Radius				New Style		DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J								
16'	32'	40"	8'	4'6"	5'6"	13'6"	8'6"	4'6"	7'	4'6"					0*			9675
18'	36'	40"	8'	4'6"	5'6"	13'6"	12'6"	4'6"	9'	4'6"					0*			9676
20'	40'	40"	8'6"	4'	7'	15'	14'	6'	8'	6'					0*			9677

*This Pool Is Now TYPE 0 Based On Current Standards.

PACIFIC

OVAL											13th Edition				DIVE TYPE	REF #		
B	A	C	K	G	F	E	D	J	H	J	W	O	R2	R1				
17'	35'	40"	8'	4'6"	5'6"	13'6"	11'6"	4'6"	8'	4'6"	18'	1'6"	4'	8'6"	0*			3295

*This Pool Is Now TYPE 0 Based On Current Standards.


PACIFIC

OVAL											14th Edition				DIVE TYPE	REF #		
B	A	C	K	G	F	E	D	J	H	J	W	O	R2	R1				
17'	35'	40"	8'	4'	6'	14'	11'	4'	9'	4'	18'	1'6"	4'6"	8'6"	II			108724

PACIFIC

RECTANGLE											CORNER: 90°				Old Style		DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J								
16'	32'	42"Δ	8'	4'6"	5'6"	13'6"	8'6"	4'6"	7'	4'6"	Δ This Style Sometimes Slopes From 36" At The Shallow End Wall To 42" At The Break.	II*			6435			
18'	36'	42"Δ	8'	4'6"	5'6"	13'6"	12'6"	4'6"	9'	4'6"	Notify Us If It Does This !!!	II*			3430			
20'	40'	42"Δ	8'6"	4'	7'	15'	14'	6'	8'	6'		III*			5436			

* If Finish Slopes From 36" At Shallow End Wall To 42" At Break, Then Pool Is TYPE 0 Based On Current Standards.



PAL

GRECIAN (4 Sided Pad)											CORNER: ≈ 17" Diagonal				Registry		DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	W	V	R1					
16'	32'	40"	8'	4'	6'	13'6"	8'6"	4'	8'	4'	30'	14'	1'5"			0*		4665
18'	36'	40"	8'	4'	6'	13'6"	12'6"	4'	10'	4'	34'	16'	1'5"			0*		5139
20'	40'	40"	8'	4'	8'	13'6"	14'6"	4'	12'	4'	38'	18'	1'5"			0*		4615

≈ Approximately 17" To 18" (Corners Have Rounded Ends & Can Be Hard To Measure)

*This Pool Is Now TYPE 0 Based On Current Standards.

PAL

GRECIAN (4 Sided Pad)											CORNER: ≈ 17" Diagonal				Non Registry		DIVE TYPE	REF #
B	A	C	K	G	F	E	D	J	H	J	W	V	R1					
16'	32'	40"	8'	4'	4'	12'	12'	4'	8'	4'	30'	14'	1'5"			0*		6436
18'	36'	40"	8'	4'	8'	12'	12'	4'	10'	4'	34'	16'	1'5"			0*		6437
20'	40'	40"	8'	4'	10'	12'	14'	4'	12'	4'	38'	18'	1'5"			0*		6438

≈ Approximately 17" To 18" (Corners Have Rounded Ends & Can Be Hard To Measure)

*This Pool Is Now TYPE 0 Based On Current Standards.

POOL DEPOT

RECTANGLE											CORNER: 6" Radius				DIVE TYPE	REF #		
B	A	C	K	G	F	E	D	J	H	J								
12'	24'	40"	6'	4'	4'	8'	8'	4'	4'	4'					0			21085
14'	28'	40"	6'	4'	4'	8'	12'	4'	6'	4'					0			21087
16'	32'	40"	8'	4'	6'	14'	8'	4'	8'	4'					II			21090
16'	36'	40"	8'	4'	6'	14'	12'	4'	8'	4'					II			59303
18'	36'	40"	8'	4'	6'	14'	12'	4'	10'	4'					II			21092
18'	40'	40"	8'	4'	6'	14'	16'	4'	10'	4'					II			22124
20'	40'	40"	8'	4'	8'	14'	14'	4'	12'	4'					II			21094
20'	44'	40"	8'	4'	8'	14'	18'	4'	12'	4'					II			59304