



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

1. Identification of the substance & the company

Chemical name	Sodium dichloroisocyanurate, dihydrate
Synonym(s)	Sodium dichlor; Sodium dichloroisocyanurate, dihydrate; Sodium dichloro-s-triazinetriene dihydrate; CDB Clearon; Troclosene sodium, dihydrate. CDB 56.
Chemical formula	$\text{NaCl}_2(\text{NCO})_3 \cdot 2\text{H}_2\text{O}$
Chemical family	Chloroisocyanurate
Molecular weight	256
Type of product and use	For formulation into end-use products intended for disinfectants, sanitizers, fungicides, bactericides and algacides for pools, spas, hot tubs, industrial recirculating water cooling towers, air washers and evaporative condensers, sewage treatment, food contact surfaces, laundry and egg sanitizing and drinking water disinfection (as supported by WHO and as per NSF/ANSI Standard 60)
Supplier	Clearon Corp. 95 MacCorkle Ave. SW, South Charleston, WV 25303, USA Toll Free Number: 1-800-811-2327
Emergency Telephone	Chemtrec (800)424-9300

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

2. Hazards identification

GHS

GHS classification

Acute Tox. 4 H302 Harmful if swallowed
 Eye Irrit. 2 H319 Causes serious eye irritation
 STOT SE 3, H335 May cause respiratory irritation
 Aquatic Acute 1 H400 Very toxic to aquatic life
 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects

Labels and other form of warning

Symbol(s)



Signal word Danger

Hazard statements

H302 - Harmful if swallowed
 H319 - Causes serious eye irritation
 H335- May cause respiratory irritation
 H410 - Very toxic to aquatic life with long lasting effects
 EUH031- Contact with acids liberates toxic gas

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P304 + P340- IF INHALED - Remove victim to fresh air and keep at rest in a position comfortable for breathing



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P301 + P312 + P330 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth
P337 + P313 - If eye irritation persists: Get medical advice/attention
P391 - Collect spillage
P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P501 - Dispose of contents/container in accordance with national and international regulations

NFPA Ratings (Scale 0-4)	Health = 2, Fire = 0, Reactivity = 1. Special Hazard Warning: OXIDIZER.
HMIS Ratings (Scale 0-4)	Health = 3, Fire = 0, Reactivity = 1.

3. Composition / information on ingredients

Components	CAS No.	Weight %
SODIUM DICHLOROISO CYANURATE, DIHYDRATE	51580-86-0	99-100
SODIUM CHLORIDE	7647-14-5	0-1

4. First-aid measures

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Remove contaminated clothing. Wash skin thoroughly with mild soap and plenty of water for at least 15 minutes. Wash clothing before reuse. Get medical attention immediately.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

Most important symptoms and effects, acute or delayed

- **Eye Contact** Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.
- **Skin contact** Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation
Prolonged skin exposure may cause permanent damage.
- **Inhalation** Irritating to the nose, mouth, throat and lungs
It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function
Inhalation of high concentrations can result in permanent lung damage from the corrosive action of the lung.
- **Ingestion** Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration
Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.

Note to physician Probable mucosal damage may contraindicate the use of gastric lavage.

5. Fire - fighting measures

- Suitable extinguishing media** Water.
- Extinguishing media not to be used** Do not use dry chemical extinguisher containing ammonia compounds.
- Unusual fire and explosion hazards** When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine and CO.
- Fire fighting procedure** Cool containers with water spray
Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode
On small fires, use water spray or fog
On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

6. Accidental release measures

Personal precautions	For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear for overhead exposure. For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material. CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.
Methods for cleaning up	Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.
Environmental precautions	
- Soil	Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.
- Water	This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.
- Air	Vapors may be suppressed by the use of water fog.

7. Handling and storage

Handling	Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin or eyes, wash off with water.
Storage	Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid") Do not store at temperatures above 60°C/140°F Product has an indefinite shelf-life limitation.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name **CDB 56**
Product id 2007
Revision date 09/06/2013
Supersedes 28/05/2012

Revision: 9

8. Exposure controls / personal protection

Exposure Limits :

Components	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0	Not determined	Not determined
SODIUM CHLORIDE 7647-14-5	Not determined	Not determined

Ventilation requirements Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs. Otherwise, ensure good general ventilation.

Personal protective equipment:

- **Respiratory protection** A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
- **Respiratory protection** When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter.
- **Hand protection** Neoprene gloves (0.67 mm)
- **Eye protection** Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles may be required.
- **Skin and body protection** Impervious body covering clothes, boots and neoprene apron

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name **CDB 56**
Product id 2007
Revision date 09/06/2013
Supersedes 28/05/2012

Revision: 9

9. Physical and chemical properties

Appearance	White granules or tablet-form product
Odour	Mild chlorine-like
Odour threshold	Not determined
pH	Not determined
Melting point/range	Not applicable
Boiling point/range	Not applicable
Flash point	Not applicable
Evaporation rate (ether=1)	Not applicable under standard conditions
Flammability (solid, gas)	Not determined
Flammable/Explosion limits	Not determined
Vapour pressure	Not applicable under standard conditions
Vapor density	Not applicable under standard conditions
Relative density	tap density= 0.974 g/mL pour density= 1.083 g/mL
Solubility:	
- Solubility in water	24-25 g/100g
Partition coefficient (n-octanol/water)	LogP - -0.0056 (estimated)
Auto-ignition temperature	Not self-ignitable
Decomposition temperature	Begins to lose 1 mole water at approximately 50°C; second mole water at 95°C; Decomposes at 240-250°C
Viscosity	Not applicable
Explosive properties	Not determined
Oxidising properties	Not oxidising
Particle size	Non- inhalable

10. Stability and reactivity

Reactivity	Begins to lose one mole of water at approximately 50°C
Stability	Stable under normal conditions.
Possibility of hazardous reactions	If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.
Conditions to avoid	Heating above decomposition temperature Do not package in paper or cardboard.
Materials to avoid	Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

Hazardous decomposition products Nitrogen trichloride, chlorine, carbon monoxide

11. Toxicological information

Primary route of exposure	Skin Inhalation Ingestion Eye contact
Acute toxicity:	
- Rat oral LD50	1671 mg/kg
- Rat dermal LD50	>5000 mg/kg
- Eye irritation (rabbit)	Severe irritant.
- Dermal irritation (rabbit)	Severe irritant
Dermal sensitization	Not a sensitizer
Immediately Dangerous to Life or Health (IDLH)	No level has been established for the components or the product itself.
Chronic toxicity	Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.
Mutagenicity	Not mutagenic in five Salmonella strains with or without metabolic activation.
Carcinogenicity	Not classified by IARC, OSHA, EPA Not included in NTP 12th Report on Carcinogens
Reproductive toxicity	Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects.

12. Ecological information

Aquatic toxicity :	
- 96 Hour-LC50, Fish	0.22 mg/l (rainbow trout) 0.28 mg/l (bluegill sunfish)
- 48 hour-LC50, Daphnia magna	0.2 mg/l
Avian toxicity:	
- Oral LD50, Bobwhite quail	730 mg/kg
- Oral LD50, Mallard duck	3300 mg/kg



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

- Dietary LC50, Mallard duck	>10,000 ppm
- Dietary LC50, Bobwhite quail	>10,000 ppm

13. Disposal considerations

Waste disposal Care must be taken to prevent environmental contamination from the use of this material
Observe all federal, state and local environmental regulations when disposing of this material.

14. Transportation information

DOT NOT REGULATED FOR ROAD TRANSPORTATION

For Vessel only:
UN No. 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s
(Sodium Dichloroisocyanurate, dihydrate)
Class: 9 - Miscellaneous Hazardous Material
Label: 9
Marking: Marine Pollutant
Packing Group: III

IMDG UN No. 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s
(Sodium Dichloroisocyanurate, dihydrate)
Class: 9 - Miscellaneous Dangerous Substances and Articles
Label: 9
Mark: MARINE POLLUTANT
Packing Group: III

ICAO/IATA UN No. 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s
(Sodium Dichloroisocyanurate, dihydrate)
Class: 9
Hazard label(s): Miscellaneous
Packing group: III
Marking: Environmentally hazardous substance

Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code Not relevant



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

15. Regulatory information

USA	All the components of this substance are listed on or are exempt from the inventory
FIFRA regulatory information	This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:
- Emergency overview in accordance to EPA Master Label	DANGER Hazards to humans and domestic animals Corrosive Causes irreversible eye damage May be fatal if inhaled Harmful if absorbed through skin or swallowed Strong oxidizing agent This pesticide is toxic to fish and aquatic organisms.
- SARA (311, 312)	This product is categorized as an immediate health hazard, and fire and reactivity physical hazard
- Massachusetts Right-to-Know Hazardous Substances list	Listed
- Pennsylvania Right-to-Know Hazardous Substances list	Listed
- Waste Classifications	If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.
- Workplace Classification	This product is considered hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).
EU	Reported in EINECS
Japan	ENCS No. 5-1043X, 1-236
Australia	Listed in AICS
New Zealand Inventory	Listed in NZIoC



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	CDB 56	
Product id	2007	
Revision date	09/06/2013	Revision: 9
Supersedes	28/05/2012	

CHINA	
- China inventory	Listed
Philippines	Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s)
8, 9, (11-REACH), (4, 15 - US), (2,10 - ROW, US)

The information in this Material Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Additionally, if this Material Safety Data Sheet is more than three years old, you should contact Clearon at the phone number listed below to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Clearon Corp. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Clearon Corp. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.

End of safety data sheet