

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL MSDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: LEISURE TIME JET CLEAN**1. PRODUCT AND COMPANY IDENTIFICATION**

Supplier
Leisure Time
1400 Bluegrass Lakes Parkway ,
Alpharetta, GA, 30004
United States

Telephone: +17705215999
Telefax: +17705215959
Web: www.poospacare.com

REVISION DATE: 03/21/2011
SUPERCEDES: 10/30/2008
MSDS Number: 000000012528
SYNONYMS:
CHEMICAL FAMILY: None
DESCRIPTION / USE: None established
FORMULA: None established

Manufacturer
Advantis Technologies
1400 Bluegrass Lakes Parkway
Alpharetta, GA 30004
United States of America

2. HAZARDS IDENTIFICATION

OSHA Hazard
Classification:

Moderate eye irritant, Mild skin irritant, Combustible Liquid

Routes of Entry: Inhalation, skin, eyes, ingestion
Chemical Interactions: None known.
Medical Conditions Aggravated: None known.

Human Threshold Response Data

Odor Threshold Not established for product.

Irritation Threshold Not established for product.

Hazardous Materials Identification System / National Fire Protection Association Classifications

<u>Hazard Ratings :</u>	<u>Health</u>	<u>Flammability</u>	<u>Physical / Instability</u>	<u>PPI / Special hazard.</u>
HMIS	2	2	0	
NFPA	1	2	0	

Immediate (Acute) Health Effects

Inhalation Toxicity: Not expected to be an inhalation hazard at ambient conditions. Inhalation of mist or vapor may cause irritation to the mucous membranes of the respiratory tract. Not expected to be toxic by inhalation.

Skin Toxicity: May cause mild skin irritation. Not expected to be toxic from dermal contact.

Eye Toxicity: Causes eye irritation.

Ingestion Toxicity: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Not expected to be toxic by ingestion.

Acute Target Organ Toxicity: May cause mild skin irritation and moderate eye irritation. Inhalation of mist/vapors may cause mucous membrane irritation (includes upper respiratory tract). Ingestion may cause gastrointestinal discomfort.

Prolonged (Chronic) Health Effects

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Inhalation: There are no known or reported effects from chronic exposure.

Skin Contact: There are no known or reported effects from chronic exposure except for effects (if any) similar to those experienced from acute exposure.

Skin Absorption: There are no known or reported effects from chronic exposure.

Ingestion: There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure.

Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Chronic Target Organ Toxicity: There are no known or reported target organ effects from chronic exposure.

Supplemental Health Hazard Information : No additional health information available.

3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Propanol, (2, methoxy-methylethoxy-)	34590-94-8	
Ethoxylated propoxylated alcohols	68603-25-8	

4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.
Skin Contact:	IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA):	Combustible.
<u>Flammable Properties</u>	
Flash Point:	83 °C
Fire / Explosion Hazards:	May be ignited by open flame.
Extinguishing Media:	Water fog Dry chemical Carbon dioxide (CO ₂) Alcohol foam
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: not applicable
Water Release: If the product contaminates rivers and lakes or drains inform respective authorities.
Land Release: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Do not contaminate ponds, waterways or ditches with chemical or used container.
Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.

7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapors, mist or gas.
Storage: Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.
Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved half-face air purifying respirator with organic vapor cartridge. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection : Impervious gloves
Eye Protection: Chemical resistant goggles must be worn.

Protective Clothing Type: impervious clothing
 General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Limit Data

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Name of Limit</u>	<u>Exposure</u>
Propanol, (2, methoxy-methylethoxy-)	34590-94-8	ACGIH	100 ppm TWA
Propanol, (2, methoxy-methylethoxy-)	34590-94-8	ACGIH	150 ppm STEL
Propanol, (2, methoxy-methylethoxy-)	34590-94-8	OSHA Z1	100 ppm TWA 600 mg/m3 TWA
Propanol, (2, methoxy-methylethoxy-)	34590-94-8	NIOSH-IDLH	600 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	No data.
Color:	No data.
Odor:	No data.
Molecular Weight:	None established
Specific Gravity :	1.005
pH :	20 °C 10.2
Boiling Point:	no data available
Freezing Point:	not applicable
Melting Point:	not applicable
Density:	
Bulk Density:	no data available
Vapor Pressure:	no data available
Vapor Density:	no data available
Viscosity:	no data available
Solubility in Water:	no data available
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	no data available
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	no data available

HAP Content Not applicable

10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.
Conditions to Avoid: Heat, flames and sparks.
Chemical Incompatibility: Strong oxidizing agents
Hazardous Decomposition Products: No available data
Decomposition Temperature: No data

11. TOXICOLOGICAL INFORMATION

Component Animal ToxicologyOral LD50 value:

Propanol, (2, methoxy- LD50 = 5,300 mg/kg rat
methylethoxy-)
Ethoxylated propoxylated LD50 = 798 mg/kg rat female
alcohols

Component Animal ToxicologyDermal LD50 value:

Propanol, (2, methoxy- LD50 > 10,000 mg/kg rabbit
methylethoxy-)
Ethoxylated propoxylated LD50 = 1,650 mg/kg rabbit male
alcohols

Component Animal ToxicologyInhalation LC50 value:

Propanol, (2, methoxy- LC50 1 h > 200 MG/L rat
methylethoxy-)
Ethoxylated propoxylated no data available
alcohols

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 5,000 mg/kg rat
Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg rabbit
Inhalation LC50 no data available
value:

Skin Irritation: May cause mild skin irritation.
Eye Irritation: Moderate eye irritant
Skin Sensitization: Not believed to be sensitising to skin.

Acute Toxicity: May cause mild skin irritation and moderate eye irritation. Inhalation of mist/vapors may cause mucous membrane irritation (includes upper respiratory tract).
Ingestion may cause gastrointestinal discomfort.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Propanol, (2, methoxy-methylethoxy-) This chemical has been tested in laboratory animals and no evidence of teratogenicity or fetotoxicity was seen.

Mutagenicity: Not known or reported to be mutagenic.

Propanol, (2, methoxy-methylethoxy-) This chemical has been shown to be non-mutagenic based on a battery of assays.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Propanol, (2, methoxy-methylethoxy-) This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.

12. ECOLOGICAL INFORMATION

Overview: Practically non- toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

Pimephales promelas (fathead minnow) - 96 h LC50 Believed to be approximately 200 mg/l (calculated)

Ecological Toxicity Values for: Propanol, (2, methoxy-methylethoxy-)

Pimephales promelas (fathead minnow) - 96 h LC50 > 10,000 mg/l

Daphnia magna (Water flea) - 48 h EC50= 1,919 mg/l

Ecological Toxicity Values for: Ethoxylated propoxylated alcohols

Pimephales promelas (fathead minnow) - 96 h LC50 = 6.4 mg/l

Daphnia magna (Water flea) - 48 h LC50= 6.2 mg/l

13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary : If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : not applicable

14. TRANSPORT INFORMATION

Land (US DOT): Not Regulated NOT REGULATED BY GROUND UNDER COMBUSTIBLE LIQUID EXCEPTION, 49 CFR 173.150 (F) WHEN PACKED IN PACKAGES < 119 GALLONS.

Water (IMDG): NOT REGULATED AS A HAZARDOUS MATERIAL, Marine Pollutant:
No

Air (IATA): NOT REGULATED AS A HAZARDOUS MATERIAL,
Emergency Response Guide Number: Not applicable

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA): The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

EPA Pesticide Registration Number: None established

FIFRA Listing of Pesticide Chemicals (40 CFR 180): Not registered in the US under FIFRA.

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health	Immediate (Acute) Health Hazard
Physical	Fire Hazard

Emergency Planning & Community Right to Know (40 CFR 355, App. A):
Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

ZUS_SAR302	TPQ (threshold planning quantity)	None established
------------	-----------------------------------	------------------

Reportable Quantity (49 CFR 172.101, Appendix):

ZUS_CERCLA	Reportable quantity	Sodium hydroxide Value: 1,000lbs Diethyl phthalate 1,2-Benzenedicarboxylic acid, diethyl ester Value: 1,000lbs
ZUS_SAR302	Reportable quantity	None established

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

ZUS_SAR313	De minimis concentration	None established
------------	--------------------------	------------------

Clean Air Act Toxic ARP Section 112r:

CAA 112R	None established
----------	------------------

Clean Air Act Socmi:

HON SOC

US. EPA Hazardous Organic NESHP (HON) Synthetic Organic Chemicals (40 CFR 63.100-.106, Table 1)
07 1999
Group III
BENZYL ALCOHOL

Clean Air Act VOC Section 111:

CAA 111

US. EPA Clean Air Act (CAA) Section 111 SOCM I Intermediate or Final Volatile Organic Compounds (40 CFR 60.489)
01 1996
BENZYL ALCOHOL

US. EPA Clean Air Act (CAA) Section 111 SOCM I Intermediate or Final Volatile Organic Compounds (40 CFR 60.489)
01 1996
POLYETHYLENE GLYCOL 200

Clean Air Act Haz. Air Pollutants Section 112:

ZUS_CAAHAP None established

ZUS_CAAHRP None established

CAA AP None established

State Right-to-Know Regulations Status of Ingredients
Pennsylvania:

CAS #	COMPONENT NAME
34590-94-8	Propanol, (2, methoxy-methylethoxy-)
ZUSPA_RTK	

Pennsylvania: Hazardous substance list
1989-08-11
PROPANOL, (2-METHOXYMETHYLETHOXY)-

New Jersey:

CAS #	COMPONENT NAME
34590-94-8	Propanol, (2, methoxy-methylethoxy-)
ZUSNJ_RTK	

New Jersey Right to Know Hazardous Substance List (RTK-HSL)
2007-03-01
DIPROPYLENE GLYCOL METHYL ETHER PROPANOL, 1(or 2)-(2-METHOXYMETHYLETHOXY)- (2-METHOXYMETHYLETHOXY) PROPANOL

Massachusetts:

CAS #	COMPONENT NAME
34590-94-8	Propanol, (2, methoxy-methylethoxy-)
ZUSMA_RTK	

Massachusetts Right to Know List of Chemicals and Hazard Classifications
1993-04-24
DIPROPYLENE GLYCOL METHYL ETHER

California Proposition 65:

CAS #	COMPONENT NAME
-------	----------------

ZUSCA_P65

None established

WHMIS Hazard Classification:**16. OTHER INFORMATION**

MSDS REVISION STATUS :

SECTIONS REVISED:

Major References :

First formulated version in SAP.

Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .